




Daily Wear | Premium

Class 1  
8 cal/cm<sup>2</sup>

# AFHV8

## Arc flash high visibility class 1, ATPV 8 cal/cm<sup>2</sup> Jacket and trousers or coverall

AFHV8  
Class 1 | ATPV 8 cal/cm<sup>2</sup>



HIGH COLLAR CLOSED BY PRESS STUDS



FLAME RETARDANT RETROREFLECTIVE TAPES

ADJUSTABLE CUFFS

STANDARD PICTOGRAMS VISIBLE ON THE GARMENT

KNEEPAD POCKETS

Please see page 25 for kneepads

These high-visibility garments are also available in fluorescent yellow/grey with 15 cal/cm<sup>2</sup> ATPV rating. Please enquire for more information.



### USER BENEFITS

- High visibility and arc flash garments
- Garments free of metal : zipper and press studs in plastic material
- Vest with longer back and high-back pants for optimal protection
- Coverall with double zip fastener on the entire length of the garment : easy to put on even over regular clothing

Reference	Description	Sizes
AFHV-VES8	Arc flash high visibility jacket class 1, ATPV 8 cal/cm <sup>2</sup>	XS to 3XL
AFHV-PAN8	Arc flash high visibility trousers class 1, ATPV 8 cal/cm <sup>2</sup>	XS to 3XL
AFHV-COM8	Arc flash high visibility coverall class 1, ATPV 8 cal/cm <sup>2</sup>	XS to 3XL

Complete the item of your choice with the required size, Example: AFHV-VES8 - **XL** for an XL size jacket.

Please enquire for sizes above 3XL.

### Use

AFHV8 garments offer protection from the thermal effects of short circuit electrical arcs, with an ATPV that does not exceed 8 cal/cm<sup>2</sup>.

These suits are designed for prolonged use throughout the day, and are recommended for operators working on or close to live electrical installations.

AFHV8 clothing are suitable for use in explosive atmospheres (ATEX).

### Fabric

- Composition  
50% polyester, 27% modacrylic, 22% cotton, 1% antistatic fibres, 355 g/m<sup>2</sup>
- Flame retardant and antistatic
- Colours : navy blue / orange
- **This fabric combines the cooling properties of eucalyptus fibres and the high performance of modacrylic in the presence of electrical arcs.**

### Description

• **Jacket**  
High collar closed with press studs, zip fastener with flap closed by press studs, 2 chest loops, longer back, adjustable cuffs, retroreflective tapes

• **Trousers**  
Elasticated waist closed by button, zip fly, high back, kneepad pockets, retroreflective tapes

• **Coverall**  
High collar closed with press studs, double non-metallic zip fastener with flap closed by press studs, 2 chest loops, elasticated waist, kneepad pockets, adjustable cuffs, retroreflective tapes

### Pockets

• **Jacket**  
2 chest pockets and 2 low double entry pockets with flap closed by press studs, 1 inner pocket closed by press stud.

• **Trousers**  
2 slant pockets, 2 cargo pants and 1 rear pocket closed by press studs

• **Coverall**  
2 chest pockets, 2 waist pockets, 1 rule pocket and 1 rear pocket with flap closed by press studs



IEC 61482-2



EN ISO 11612



EN ISO 20471



EN ISO 11611




EN 1149-5



EN 13034



High visibility garment in accordance with EN ISO 20471



Double non-metallic zip fastener

COMFORT



SOFTNESS



LIFESPAN



BREATHABILITY



Premium



DAILY WEAR

# Additional products



## TC402B – TC402B24

### Electrician helmet with integrated arc flash face shield

Electrician helmet incorporating a green tinted face shield with anti-fogging and anti-scratching treatment, with a chin guard

Reference	Description
TC402B	Electrician helmet with integrated arc flash face shield, ATPV 8.4 cal/cm <sup>2</sup>
TC402B24	Electrician helmet with integrated arc flash face shield, ATPV 24 cal/cm <sup>2</sup>



## TC4712 – TC4725

### Electrician helmet equipped with a lift-up arc flash face shield

Electrician helmet with a shield holder with a lift-up green-tinted arc flash face shield, with a chin guard.

Reference	Description
TC4712	Electrician helmet with arc flash face shield, ATPV 12 cal/cm <sup>2</sup>
TC4725	Electrician helmet with arc flash face shield, ATPV 25 cal/cm <sup>2</sup>



## ARCCAG12 – ARCCAG24

### Arc flash balaclava

Arc flash balaclava for use along with an electrician helmet with face shield

Reference	Description
ARCCAG10	Arc flash balaclava, ATPV 12.1 cal/cm <sup>2</sup>
ARCCAG24	Arc flash balaclava, ATPV 24 cal/cm <sup>2</sup>



## AFHV-PARKA AFPRO-PARKA

### Arc flash parkas class 2

The parkas will offer ideal protection from the cold and the elements, at the same time keeping the worker safe from the thermal effects of a short circuit electrical arc. Two models available: a high-visibility model in accordance with standard EN 20741 and a special cold-weather model with a warm lining.

Reference	Description	Colour	Sizes
AFPRO-PARKA	Arc flash parka class 2, cold and wet weather	Blue	S to 3XL
AFHV-PARKA	Arc flash parka class 2, high visibility	Fluorescent yellow/blue	S to 3XL

## CRYOVEST

### High performance cooling vest

High-performance cooling vest for protection from the heat risk, intended for operators who do physical work in an ambient temperature above 28 °C. Prolonged use: up to 2 hours in extreme conditions (> 50 °C)

Reference	Description	Sizes
CRYOVEST	Cooling vest	S to 6XL
CRYOVEST -HV	High visibility cooling vest	S to 6XL



## GCA-41

### Composite insulating gloves with arc flash protection

Insulating gloves in composite materials with class 2 arc flash protection. Three-in-one gloves: electrical, arc flash and mechanical protection (does away with the need for leather over gloves). Each pair of gloves is supplied with a pair of cotton mittens for dexterity and hygiene.

Reference	Class	Max operating voltage	ATPV	Sizes
GCA0-41	0	1 000V A	71,6 cal/cm <sup>2</sup>	7 to 12
GCA2-41	2	17 000V AC	74,5 cal/cm <sup>2</sup>	8 to 12
GCA3-41	3	26 500V AC	73,2 cal/cm <sup>2</sup>	8 to 12
GCA4-41	4	36 000V AC	87,7 cal/cm <sup>2</sup>	8 to 12



## GENPOLY

### Kneepads for work

Protective kneepads in polyethylene to be used along with our trousers with kneepad pockets, in accordance with standard EN 14404 + A1: 2010 level 1.

Reference	Description	Sizes
GENPOLY	Kneepads for work, 100% polyethylene	One size fits all



## C99-ISOL

### Safety shoes with insulating soles, up to 20 KV

High or low safety model, free from metal, with dielectric sole rated for up to 20 KV in dry environments.

Reference	Description	Sizes
C99B-ISOL	Low safety shoes with insulating soles, up to 20 kV	38 to 47
C99H-ISOL	High safety shoes with insulating soles, up to 20 kV	38 to 47



## CTI-125

### Non-metallic textile belt 80/125

Textile belt in non-metallic strapping, 40 mm wide. Closure and adjustment with automatic plastic buckle

Reference	Description	Waist size min/max
CTI-125	Non-metallic textile belt 80/125	80/125 cm



## S510

### PPE carry bag in rigid canvas

Carry bag designed especially for transporting PPE. Special side pocket for shoes, so as to leave the rest of the equipment clean.

Reference	Description	Outer dimensions
S510	PPE carry bag in rigid canvas	700 x 310 x 320 mm



# Size correspondence

Please take appropriate measurements and refer to the tables to select the correct size.

## Daily Wear range

### TROUSERS

Size to order	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
EU size	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70
Waist (cm)	68	73	77	81	85	89	93	97	101	105	109	113	117	121	125	129	133	137
	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to
	72	76	80	84	88	92	96	100	104	108	112	116	120	124	128	132	136	140

### JACKET / OVERALLS

Size to order	XS		S		M		L		XL		XXL		3XL		4XL		5XL	
Neck size (cm)	35 to 36		37 to 38		39 to 40		41 to 42		43 to 44		45 to 46		47 to 48		49 to 50		51 to 52	
EU size	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70
Chest size (cm)	78	81	85	89	93	97	101	105	109	113	117	121	125	129	133	137	141	145
	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to
	80	84	88	92	96	100	104	108	112	116	120	124	128	132	136	140	144	148

## Switching Wear range

Size to order	S		M		L		XL		XXL		3XL		4XL	
Bib and brace	36	38	40	42	44	46	48	50	52	54	56	58	60	62
Jacket	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Chest (cm)	90-97		98-105		106-113		114-121		122-129		130-137		138-145	
Waist (cm)	70-77		78-85		86-93		94-101		102-109		110-118		119-127	
Height (cm)	170-175		176-181		182-187		188-194		188-194		190-196		190-196	

# Personnalisation



## Clothing personalised for your image

In order to reinforce the brand image of your company, we have several personalisation options:

- Addition of the logo of your company by fire-resistant transfer or embroidery
- Choice of the fabric colour, number of pockets, addition or removal of reflective tapes

Please enquire for more information about personalisation options.